### **EXHIBIT 3**

### **Trademark/Service Mark Application, Principal Register**

**Serial Number: 85180347 Filing Date: 11/18/2010** 

#### The table below presents the data as entered.

Input Field	Entered
SERIAL NUMBER	85180347
MARK INFORMATION	
*MARK	\\TICRS\EXPORT11\IMAGEOUT 11\851\803\85180347\xml1\ APP0002.JPG
SPECIAL FORM	YES
USPTO-GENERATED IMAGE	NO
COLOR MARK	NO
*DESCRIPTION OF THE MARK (and Color Location, if applicable)	The mark consists of a three-dimensional configuration of a unique mechanized poultry feeder which includes a pan structure and a grill structure. When viewed from any side, the perimeter of the feeder has a generally octagonal shape as it has two generally vertical sides, defined by portions of both the pan structure and the grill structure, two generally horizontal sides, one defined at the bottom of the pan structure and the other defined at the top of the grill structure, and four generally diagonal sides which interconnect the vertical sides to the horizontal sides. Internal angles between the diagonal sides and the vertical sides are generally smaller than the internal angles between the diagonal sides and the horizontal sides. The matter shown in broken lines is not part of the mark and serves only to show the position or placement of the mark.
PIXEL COUNT ACCEPTABLE	YES
PIXEL COUNT	944 x 944
REGISTER	Principal

APPLICANT INFORMATION				
*OWNER OF MARK	CTB, Inc.			
*STREET	611 North Higbee Street			
*CITY	Milford			
*STATE (Required for U.S. applicants)	Indiana			
*COUNTRY	United States			
*ZIP/POSTAL CODE (Required for U.S. applicants only)	46542			
LEGAL ENTITY INFORMATION				
ТҮРЕ	corporation			
STATE/COUNTRY OF INCORPORATION	Indiana			
GOODS AND/OR SERVICES AND BASIS INFORMATION				
INTERNATIONAL CLASS	007			
*IDENTIFICATION	Mechanized poultry feeders			
FILING BASIS	SECTION 1(a)			
FIRST USE ANYWHERE DATE	At least as early as 12/01/1999			
FIRST USE IN COMMERCE DATE	At least as early as 12/01/1999			
SPECIMEN FILE NAME(S)	\\\TICRS\EXPORT11\IMAGEOUT 11\851\803\85180347\xml1\ APP0003.JPG			
	\\\TICRS\EXPORT11\IMAGEOUT 11\851\803\85180347\xml1\\ APP0004.JPG			
SPECIMEN DESCRIPTION	brochure displaying pictures of the feeder and describing the feeder			
ADDITIONAL STATEMENTS SECTIO	)N			
SECTION 2(f)	The mark has become distinctive of the goods/services through the applicant's substantially exclusive and continuous use in commerce for at least the five years immediately before the date of this statement.			
ATTORNEY INFORMATION				
NAME	David J. Marr			
ATTORNEY DOCKET NUMBER	35002/138569/341A			
FIRM NAME	Clark Hill PLC			

STREET	150 North Michigan Avenue	
CITY	Chicago	
STATE	Illinois	
COUNTRY	United States	
ZIP/POSTAL CODE	60601	
PHONE	312-985-5555	
FAX	312-985-5955	
EMAIL ADDRESS	mkitz@clarkhill.com	
AUTHORIZED TO COMMUNICATE VIA EMAIL	Yes	
CORRESPONDENCE INFORMATION		
NAME	David J. Marr	
FIRM NAME	Clark Hill PLC	
STREET	150 North Michigan Avenue	
CITY	Chicago	
STATE	Illinois	
COUNTRY	United States	
ZIP/POSTAL CODE	60601	
PHONE	312-985-5555	
FAX	312-985-5955	
EMAIL ADDRESS	mkitz@clarkhill.com	
AUTHORIZED TO COMMUNICATE VIA EMAIL	Yes	
FEE INFORMATION		
NUMBER OF CLASSES	1	
FEE PER CLASS	325	
*TOTAL FEE DUE	325	
*TOTAL FEE PAID	325	
SIGNATURE INFORMATION		
SIGNATURE	/David J. Marr/	
SIGNATORY'S NAME	David J. Marr	
SIGNATORY'S POSITION	Attorney of record	
DATE SIGNED	11/18/2010	

Case 7:14-cv-00157-D	Document 82-3	Filed <b>04/0</b> 2/16	Page 5 of 13

#### Trademark/Service Mark Application, Principal Register

**Serial Number: 85180347 Filing Date: 11/18/2010** 

#### To the Commissioner for Trademarks:

MARK: (Stylized and/or Design, see mark)

The applicant is not claiming color as a feature of the mark. The mark consists of a three-dimensional configuration of a unique mechanized poultry feeder which includes a pan structure and a grill structure. When viewed from any side, the perimeter of the feeder has a generally octagonal shape as it has two generally vertical sides, defined by portions of both the pan structure and the grill structure, two generally horizontal sides, one defined at the bottom of the pan structure and the other defined at the top of the grill structure, and four generally diagonal sides which interconnect the vertical sides to the horizontal sides. Internal angles between the diagonal sides and the vertical sides are generally smaller than the internal angles between the diagonal sides and the horizontal sides. The matter shown in broken lines is not part of the mark and serves only to show the position or placement of the mark.

The applicant, CTB, Inc., a corporation of Indiana, having an address of

611 North Higbee Street

Milford, Indiana 46542

**United States** 

requests registration of the trademark/service mark identified above in the United States Patent and Trademark Office on the Principal Register established by the Act of July 5, 1946 (15 U.S.C. Section 1051 et seq.), as amended, for the following:

International Class 007: Mechanized poultry feeders

In International Class 007, the mark was first used at least as early as 12/01/1999, and first used in commerce at least as early as 12/01/1999, and is now in use in such commerce. The applicant is submitting one specimen(s) showing the mark as used in commerce on or in connection with any item in the class of listed goods and/or services, consisting of a(n) brochure displaying pictures of the feeder and describing the feeder.

Specimen File1
Specimen File2

The mark has become distinctive of the goods/services through the applicant's substantially exclusive and continuous use in commerce for at least the five years immediately before the date of this statement.

The applicant's current Attorney Information:

David J. Marr of Clark Hill PLC 150 North Michigan Avenue Chicago, Illinois 60601 United States

The attorney docket/reference number is 35002/138569/341A.

The applicant's current Correspondence Information:

David J. Marr Clark Hill PLC 150 North Michigan Avenue Chicago, Illinois 60601 312-985-5555(phone) 312-985-5955(fax) mkitz@clarkhill.com (authorized)

A fee payment in the amount of \$325 has been submitted with the application, representing payment for 1 class(es).

#### **Declaration**

The undersigned, being hereby warned that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. Section 1001, and that such willful false statements, and the like, may jeopardize the validity of the application or any resulting registration, declares that he/she is properly authorized to execute this application on behalf of the applicant; he/she believes the applicant to be the owner of the trademark/service mark sought to be registered, or, if the application is being filed under 15 U.S.C. Section 1051(b), he/she believes applicant to be entitled to use such mark in commerce; to the best of his/her knowledge and belief no other person, firm, corporation, or association has the right to use the mark in commerce, either in the identical form thereof or in such near resemblance thereto as to be likely, when used on or in connection with the goods/services of such other person, to cause confusion, or to cause mistake, or to deceive; and that all statements made of his/her own knowledge are true; and that all statements made on information and belief are believed to be true.

Signature: /David J. Marr/ Date Signed: 11/18/2010

Signatory's Name: David J. Marr

Signatory's Position: Attorney of record


RAM Sale Number: 4284

RAM Accounting Date: 11/19/2010

Serial Number: 85180347

Internet Transmission Date: Thu Nov 18 17:34:56 EST 2010 TEAS Stamp: USPTO/BAS-209.254.200.26-201011181734560

93215-85180347-470806871493a1c57a0ebda39 3ca5bab0-CC-4284-20101118172558799975



### MODEL C2® PLUS Broiler Feeders

# CHORE-TIME Let's grow together.

## The Broiler Feeder That Promotes Better Feed Conversion

### Gets Birds Off to a Good Start from Day One

- Chick-friendly 14-spoke grill design lets birds exit pans easily.
- **Shallow pan option** reduces the need for feed trays and extra labor when starting birds.
- Optional feed windows fill pans high with feed to attract chicks.
- All-plastic construction with ultraviolet protection and reinforced eating and cone wear areas.
- Extended fin model helps ensure feed delivery by improving feed flow for harder flowing feed.



Pan hangs for cleaning.



Easy-To-Read Feed Level Settings

- Easy to adjust for flooding or a lower feed level as birds grow.
- Optional slide shut-off also available.





Chore-Time's MODEL C2® PLUS Broiler Feeding System gets birds off to a good start, minimizes wasted feed, and provides birds with consistent access to fresh feed.

### Keeps Birds Growing with Top Feed Conversion

- Feed-saving features include Chore-Time's "V"-shaped pan bottom design, double pan lip and anti-rake fins.
- Extended fin model features ½-inch (13-mm) longer anti-rake fins to keep the cone off the bottom of the pan – permits more feed in pan when windows are closed with pan on the floor.
- Designed for management simplicity.



### **MODEL C2® PLUS Feeder Specifications**

	Model C2 Plus SHL	Model C2 Plus STD	Model C2 Plus EXT
	Shallow Pan	Standard Pan	Extended Fin
Pan Shape			
Pan Depth	2-9/16" (65 mm)	3-1/8" (79.3 mm)	3-1/8"(79.3 mm)
Window Options	Window or Non-Window		Window Only
<b>Extended Fins</b>	No		Yes
Advantages of This Model	Shorter pan height results in easier access for chicks and small birds.	Proven, reliable performance from the feeder that has grown to be the industry standard.	Fixed feed height at bottom helps maintain feed flow at all times regardless of pan height or litter level; more interior space improves flow for harder flowing feed.

#### **Other Feeder Features**

- 1/3 or 1/2 HP 348 RPM power unit.
- 230 volt 50/60 Hz 1 or 3 phase power.
- Removable top option and slide shut-off available for all models.

Chore-Time's MODEL C2® PLUS Feeder is shown with removable top option.






 ${\it Feeding} \, | \, {\it Watering} \, | \, {\it Controls} \, | \, {\it Ventilation} \, | \, {\it Heating} \, | \, {\it Nests} \, | \, {\it Feed Storage} \,$ 

Find your certified TRUE RED® distributor in our on-line distributor finder.

#### www.choretimepoultry.com

Chore-Time Poultry Production Systems
Chore-Time Brock International
Divisions of CTB, Inc.
Phone: 574.658.4101 or +1.574.658.9323 (International)
E-mail: poultry@choretime.com or world@ctbworld.com

CT-2430/0509



### MODEL C2® PLUS Broiler Feeders

# CHORE-TIME Let's grow together.


## The Broiler Feeder That Promotes Better Feed Conversion

### Gets Birds Off to a Good Start from Day One

- Chick-friendly 14-spoke grill design lets birds exit pans easily.
- **Shallow pan option** reduces the need for feed trays and extra labor when starting birds.
- Optional feed windows fill pans high with feed to attract chicks.
- All-plastic construction with ultraviolet protection and reinforced eating and cone wear areas.
- Extended fin model helps ensure feed delivery by improving feed flow for harder flowing feed.



Pan hangs for cleaning.



Easy-To-Read Feed Level Settings

- Easy to adjust for flooding or a lower feed level as birds grow.
- Optional slide shut-off also available.





Chore-Time's MODEL C2® PLUS Broiler Feeding System gets birds off to a good start, minimizes wasted feed, and provides birds with consistent access to fresh feed.

### Keeps Birds Growing with Top Feed Conversion

- Feed-saving features include Chore-Time's "V"-shaped pan bottom design, double pan lip and anti-rake fins.
- Extended fin model features ½-inch (13-mm) longer anti-rake fins to keep the cone off the bottom of the pan – permits more feed in pan when windows are closed with pan on the floor.
- Designed for management simplicity.



### **MODEL C2® PLUS Feeder Specifications**

	Model C2 Plus SHL Shallow Pan	Model C2 Plus STD Standard Pan	Model C2 Plus EXT Extended Fin
Pan Shape			
Pan Depth	2-9/16" (65 mm)	3-1/8" (79.3 mm)	3-1/8"(79.3 mm)
Window Options	Window or Non-Window		Window Only
Extended Fins	No		Yes
Advantages of This Model	Shorter pan height results in easier access for chicks and small birds.	Proven, reliable performance from the feeder that has grown to be the industry standard.	Fixed feed height at bottom helps maintain feed flow at all times regardless of pan height or litter level; more interior space improves flow for harder flowing feed.

#### **Other Feeder Features**

- 1/3 or 1/2 HP 348 RPM power unit.
- 230 volt 50/60 Hz 1 or 3 phase power.
- Removable top option and slide shut-off available for all models.

Chore-Time's MODEL C2® PLUS Feeder is shown with removable top option.





Feeding | Watering | Controls | Ventilation | Heating | Nests | Feed Storage

Find your certified TRUE RED® distributor in our on-line distributor finder.

#### www.choretimepoultry.com

Chore-Time Poultry Production Systems
Chore-Time Brock International
Divisions of CTB, Inc.
Phone: 574.658.4101 or +1.574.658.9323 (International)
E-mail: poultry@choretime.com or world@ctbworld.com

CT-2430/0509